Should sports and exercise medicine be taught in the Swiss undergraduate medical curricula? A survey among 1764 Swiss medical students

Justin Carrard,¹ Tej Pandya,² Laurène Niederhauser,³ Denis Infanger,¹ Arno Schmidt-Trucksass,¹ Susi Kriemler⁴

To cite: Carrard J, Pandya T, Niederhauser L, *et al*. Should sports and exercise medicine be taught in the Swiss undergraduate medical curricula? A survey among 1764 Swiss medical students. *BMJ Open Sport & Exercise Medicine* 2019;5:e000575. doi:10.1136/bmjsem-2019-000575

► Additional material is published online only. To view please visit the journal online (<http://dx.doi.org/10.1136/bmjsem-2019-000575>).

Accepted 31 July 2019

© Author(s) (or their employer(s)) 2019. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

¹Division of Sports and Exercise Medicine, Department of Sport, Exercise and Health, University of Basel, Basel, Switzerland

²Faculty of Biology Medicine and Health, The University of Manchester, Manchester, UK

³Faculty of Biology and Medicine, University of Lausanne, Lausanne, Switzerland

⁴Institute of Epidemiology Biostatistics and Prevention, University of Zurich, Zurich, Switzerland

Correspondence to

Justin Carrard;
justin.carrard@unibas.ch

ABSTRACT

Objectives The global lack of sports and exercise medicine (SEM) teaching at medical schools contrasts with evidence that physical activity (PA) plays a major role in preventing and treating non-communicable diseases (NCDs). The aims of this study were to (a) examine whether Swiss medical students are expected to acquire SEM-related skills and knowledge, (b) systematically reviewed SEM teaching in the Swiss undergraduate medical curricula, (c) assess if Swiss medical students are aware of SEM and (d) whether they would like SEM to be included in their curricula.

Methods Two authors independently screened the 'Principal Relevant Objectives and Framework for Integrative Learning and Education in Switzerland' (PROFILES) for SEM-related learning objectives and reviewed the curricula. 7708 Swiss medical students were invited to participate in an online survey.

Results 32 SEM-related learning objectives were identified in PROFILES with 20 of them linked to PA. Four of eight Swiss medical schools display limited mandatory SEM teachings. 1764 students participated in the survey (482.0% of the necessary sample size, 22.9% of all Swiss medical students). One in two students knew that SEM includes preventing and treating NCDs. Almost 95% of the participants would like SEM to be included in the curricula.

Conclusion Despite its inclusion in PROFILES and comprehensive evidence that SEM should be taught at medical schools, this is scarcely the case in Switzerland. Swiss medical students have limited understanding of SEM, but are keen to have it included in the curricula. This study highlights the need for more comprehensive SEM teaching at Swiss medical schools.

INTRODUCTION

Sports and exercise medicine (SEM) encompasses two different but related topics, namely sports medicine and exercise medicine.¹ 'Sports medicine is involved with prevention, diagnosis and management of musculoskeletal disorders and medical issues related to physical activity (PA), while exercise medicine aims to use PA to prevent and treat chronic diseases'.^{1,2} SEM is now a recognised medical

What are the new findings?

- Sports and exercise medicine (SEM)-related learning objectives, mainly linked to physical activity, are included in the official document setting the skills and knowledge Swiss medical students have to acquire during medical school.
- Despite this, SEM is scarcely taught at Swiss medical schools.
- Swiss medical students have limited understanding of SEM with only half of them aware that exercise medicine is a part of SEM.
- An overwhelming majority of respondents would like to have SEM included in their curricula.

specialty in 26 countries worldwide.^{3,4} Nevertheless, SEM is still scarcely taught at the undergraduate level even in the above-mentioned countries.^{5,6}

Musculoskeletal conditions are highly prevalent within the general population and greatly limit daily activities and productivity within developed and developing countries.⁷⁻⁹ Sports injuries are frequent, with an annual prevalence around 20% in a representative sample of the general Danish population.¹⁰ Furthermore, with rising rates of non-communicable disease (NCDs) the search for cost-effective measures of prevention and treatment has become a priority worldwide.^{4,11,12} PA is one of the means to combat NCDs.¹³⁻¹⁵ Physical inactivity has been recognised as the fourth leading cause of death worldwide, and is described as a pandemic by the WHO.^{13,16} In 2018, the WHO published the 'global action plan on PA 2018–2030 which aims towards a '15% reduction in the prevalence of physical inactivity by 2030'.¹⁷ To reach this aim, one of the principle points in these guidelines is to educate health professionals about PA promotion and prescription.¹⁷

Since 2000, several studies have highlighted that medical doctors, particularly general

physicians, are not knowledgeable enough about PA benefits and prescription and thus neither confident to prescribe it nor to refer patients to an SEM specialist.^{18–21} Similarly, a British study showed that ‘medical students underestimate the risk of physical inactivity, do not know the PA guidelines and feel unconfident about giving PA advice’.²² This systemic lack of knowledge and teaching at medical school markedly contrasts with the evidence that PA plays a major role in preventing and treating almost all the NCDs.^{13–15} Yet, some data suggest that medical students are keen to learn more about SEM.²³ Moreover, examples of successful sports and/or exercise medicine implementation in the undergraduate curriculum have been shown in Nottingham (UK), South Carolina (USA) and in Tehran (Iran).^{24–26}

The ‘Principal Relevant Objectives and Framework for Integrative Learning and Education in Switzerland’ (PROFILES), written by Swiss experts under a mandate of the Joint Commission of the Swiss Medical schools, sets out the skills and knowledge Swiss medical students have to acquire during the 6 years of study.²⁷ ‘PROFILES displays three different chapters: a first chapter listing general objectives related to the different roles of doctors, a second chapter presenting entrustable professional activities reflecting the main medical tasks that a physician must be able to perform autonomously on the first day of his residency and a third chapter listing 265 common clinical situations that a doctor is expected to deal with after passing the Swiss Federal Licensing Examination’.²⁷ Each university then has the autonomy to organise its own undergraduate curriculum to fit with the objectives of PROFILES.

This study had four aims. First, to determine whether Swiss medical students are expected to acquire SEM-related skills and knowledge according to PROFILES. Second, to systematically review SEM teaching in the Swiss undergraduate medical curricula. Third, to determine if Swiss medical students are aware of SEM, and fourth whether they want it included in their curricula.

METHOD

PROFILES

Two authors (JC and TP) independently reviewed PROFILES for SEM-related learning objectives. A learning objective was considered SEM-related if it matched at least one key SEM domain of the ‘syllabus for the medical specialty of sport and exercise medicine’ written by the ‘International Syllabus in Sport and Exercise Medicine Group (ISSEMG)’.² The key domain ‘intrinsic skills of an SEM physician’ covering ‘core skills which all physicians should learn during basic training’ was not taken into account here.² A learning objective could match several key domains and all matches were recorded. A consensus meeting discussed all discrepancies between the two authors and if there was no resolution following this, a third author was asked to give judgement to form a conclusion.

Systematic review of SEM teaching in the Swiss undergraduate medical curricula

Two authors (JC and LN) independently reviewed the SEM teaching in the 2018–2019 curricula of the eight Swiss universities offering medical training. To be classified as SEM teaching, two criteria had to be fulfilled. First, the teaching title had to match at least one key SEM domain of the ISSEMG syllabus.² Again, the key domain ‘intrinsic skills of an SEM physician’ was not taken into account.² Second, it had to be taught by an SEM specialist. For this purpose, SEM specialists were defined as SEM doctors (medical specialists holding the subspecialty title of the Swiss Society of Sports Medicine), sports physiologists/scientists (graduates of sport physiology/sciences degrees), sports physiotherapists (physiotherapists holding the sports physiotherapy specialty of Sportfizio), sports psychologists (psychologists holding a postgraduate degree in sports psychology) and sports nutritionists (nutritionists holding the postgraduate certificate of the Swiss Sports Nutrition Society). SEM specialists holding equivalent foreign titles were considered too. A consensus meeting discussed all discrepancies between the two authors and if there was no resolution following this, a third author was asked to give judgement to form a conclusion. Finally, local leading SEM physicians were asked to check the accuracy of the results (except for the University of Neuchâtel, which does not employ an SEM physician).

As illustrated in figure 1, after being divided into mandatory and optional, teaching was further characterised according to topic(s) taught, lecturer(s), study year and duration. For optional teaching, class capacity and frequency were also recorded.

The medical curricula of the universities of Basel, Bern, Geneva, Lausanne, Neuchâtel and of the Swiss Federal Institute of Technology in Zurich (ETHZ) were accessible online.^{28–33} The curriculum of the University of Fribourg was not openly accessible online but access was provided by a local medical student.³⁴ The University of Zurich, whose curriculum was not accessible online, was contacted but denied access to the authors for ‘data privacy protection’ reasons. Therefore, its curriculum was evaluated based on its description in the study years booklets.³⁵

Survey

An online survey (www.evalandgo.com, France) was conducted between 21 April and 21 October 2017 among the 7708 Swiss medical students of the seven Swiss Universities offering medical training (the ETHZ Bachelor of Medicine was established in September 2017). Local medical students’ societies forwarded an e-mail twice, over a 6-month period, to all their students inviting them to participate in the survey. In addition, student members of the Swiss Society of Sport Medicine presented the survey to every year group studying in the universities in question, in a lecture.³⁶

Figure 1 Systematic review process of SEM teaching in the Swiss undergraduate medical curricula (ISSEMG, International Syllabus in Sport and Exercise Medicine Group).

The first three questions of the survey aimed to characterise participants according to gender, university and study year distribution. Questions 4–8 aimed to determine their knowledge and teaching preferences in SEM. Answers were chosen from a list of predefined options. Answer options of question 5 were developed to match the definition of SEM provided by Jaques and Loosemore.¹ Due to the multilingual nature of Switzerland, the survey was conducted in German and French. Results were directly processed by the online survey platform.

Sample size calculation

Assuming that the true proportion, p , of Swiss medical students that are keen to have SEM included in the undergraduate curricula is 0.5, a sample size of 366 students is necessary to estimate the proportion of a small finite population with a margin of error of 5% using a 95% CI as shown below.³⁷

$$\text{sample size} = -\frac{N(p-1)pz^2}{e^2(N-1)-(p-1)pz^2}$$

where p is the proportion of a small finite population, z is the $\frac{\alpha}{2}$ -quantile of a standard normal distribution, e is the margin of error and n is the population size.

Comparison sample and population

Features available for both the sample and the Swiss medical student's population (gender, university and academic level) were compared. χ^2 tests were run to check if differences between both groups were significant.

RESULTS PROFILES

Table 1 shows that 32 SEM-related learning objectives were identified (eight general objectives, seven entrustable professional activities and 17 situations as starting points). All discrepancies could be resolved during the consensus meeting. The key domain 'PA and human health' could be matched with 20 learning objectives, while key domains 'extrinsic skills of an SEM physician' and 'injuries related to sport and exercise' could be matched with 13 and 11 learning objectives, respectively. Four others domains matched with learning objectives: 'medical issues related to exercise' (five matches), 'nutrition' (two matches), 'specific groups undertaking sports and exercise' and 'sports team care and sports event medical management' (one match each).

Systematic review of SEM content in the Swiss undergraduate medical curricula

Mandatory and optional SEM courses are presented in tables 2 and 3, respectively. The authors agreed on all findings without the need for a consensus meeting. Four of eight universities display limited time and content, in mandatory SEM teachings. Four universities offer more comprehensive optional SEM courses. Local leading SEM physicians confirmed the accuracy of the results. Course content, which relates to exercise but did not meet inclusion criteria, is presented as a online supplementary file. This includes basic exercise physiology lectures and two lectures on sports injury and PA given by physiologists, orthopaedic surgeons and an epidemiologist, respectively.

Survey

Sample size

1764 students participated in the survey (482.0% of the required sample size and 22.9% of all Swiss medical students). If the sample is considered a random sample, the margin of error would be 2% (calculated as shown below).³⁷

$$\text{Margin of error} = z_{\frac{\alpha}{2}} \sqrt{\frac{\hat{p}(1-\hat{p})}{n} \cdot \frac{N-n}{N-1}}$$

where $z_{\frac{\alpha}{2}}$ is the $\alpha/2$ -quantile of the standard normal distribution, $\hat{p}$ sample estimate of the proportion, n is the sample size and N is the population size.

Table 1 SEM-related learning objectives in profiles

ID	Learnings objectives	Related key SEM domains
General objectives		
GO 1.13	Advise and counsel patients on their health and lifestyle in an empathetic non-judgmental manner. Perform a motivational interview	Physical activity and human health
GO 1.23	Understand the population perspective as a core aspect of public health, and the application of basic principles of social medicine; advocate for the health and healthy environment of the local community and society as a whole	Physical activity and human health
GO 2.7	Develop effective, shared strategies with their patients to increase their adherence to therapeutic options and improve their adoption of healthy habits and lifestyles	Physical activity and human health
GO 2.8	Assist patients in the adoption of health promoting habits and provide effective counselling in the use of personal data obtained through screening procedures, imaging, serologic or genetic findings (precision/prediction medicine)	Physical activity and human health
GO 2.9	Improve patient's and family's health literacy by assisting them to identify, access and make use of information and communication technologies to support their healthcare and the adoption of healthy lifestyles	Physical activity and human health
GO 4.1	Understand the principles of population medicine and its strategies, and use the main tools that are used in epidemiology and public health. These include the gathering and use of health determinants and indicators, descriptive and explanatory statistics, risk and protective factors and the concepts of prevention and health promotion at individual, community and environmental levels	Physical activity and human health
GO 4.2	Define and illustrate health promotion and health-enhancing strategies at various levels such as the monitoring and promotion of a safe environment and the promotion of effective public health policies and interventions. In doing so, they take into account financial, material and staffing resources, at both community and public health levels.	Physical activity and human health
GO 5.2	Incorporate health surveillance activities into interactions with individual patients (discussing lifestyles, counselling). Such activities include screening, immunisation and disease prevention, risk and harm reduction measures and health promotion.	Physical activity and human health
Entrustable professional activities		
EPA 1.8	Review the patient's health behaviour and lifestyle as part of a routine check-up, as far as possible, and assess the patient's opinions, representations and expectations	Physical activity and human health
EPA 1b	Perform an age-specific assessment of a child's/adolescent's development and lifestyle	Physical activity and human health Specific groups undertaking sport and exercise
EPA 2b	Assessment of nutritional status	Nutrition
EPA 2o	Inspection and palpation of skeleton and joints	Injuries related to sport and exercise Extrinsic skills of an SEM physician
EPA 2p	Functional testing of joint mobility: shoulders, elbows, wrists, fingers, hips, knees and ankles	Injuries related to sport and exercise Extrinsic skills of an SEM physician
EPA 2q	Inspection, palpation, percussion and mobility of the spine	Injuries related to sport and exercise Extrinsic skills of an SEM physician
EPA 7.1	Establish a management plan that integrates information gathered from the history, the physical examination, laboratory tests and imaging as well as the patient's preference; incorporate the prescription of medications, physiotherapy and physical rehabilitation, dietetic and lifestyles advice, psychological support, social and environmental measures into the management plan	Physical activity and human health Injuries related to sport and exercise
Situations as starting points		
SSP 4	Fatigue, tiredness	Medical issues related to exercise Nutrition
SSP 14	Unexpected or sudden death	Medical issues related to exercise Extrinsic skills of an SEM physician
SSP 15	Weight gain, obesity	Physical activity and human health
SSP 82	Back pain	Physical activity and human health Injuries related to sport and exercise Extrinsic skills of an SEM physician
SSP 83	Deformities of skeleton and joints	Physical activity and human health Injuries related to sport and exercise Extrinsic skills of an SEM physician

Continued

Table 1 Continued

ID	Learnings objectives	Related key SEM domains
SSP 85	Pain, burning, cramp, numbness in the extremities	Medical issues related to exercise Injuries related to sport and exercise Extrinsic skills of an SEM physician
SSP 108	Contusion, soft tissue bruising	Injuries related to sport and exercise Extrinsic skills of an SEM physician
SSP 109	Dislocation of joint	Injuries related to sport and exercise Extrinsic skills of an SEM physician
SSP 112	Head and brain injuries and trauma	Injuries related to sport and exercise Extrinsic skills of an SEM physician
SSP 113	Injuries of the extremities	Injuries related to sport and exercise Extrinsic skills of an SEM physician
SSP 131	Abnormal blood pressure	Physical activity and human health
SSP 158	Abnormal glycaemia and markers of glycaemia homeostasis	Physical activity and human health Medical issues related to exercise
SSP 197	Functional impairment (cognition, sensory and motor)	Physical activity and human health Extrinsic skills of an SEM physician
SSP 198	Malnutrition and sarcopenia	Physical activity and human health
SSP 221	Consultation before engaging in sports activities	Medical issues related to exercise Sports team care and sports event medical management Extrinsic skills of an SEM physician
SSP 223	Promotion of healthy lifestyle	Physical activity and human health
SSP 227	Shared assessment of risks and protective factors for frequent life-compromising diseases such as cardiovascular, metabolic and oncologic diseases	Physical activity and human health

SEM, Sports and exercise medicine.

Comparison sample and population

Figure 2 illustrates the response rate according to gender (A), university (B) and academic level (C). Panel D shows the sample distribution according to the year of study. χ^2 tests show significant differences between the sample and the population regarding gender (χ^2 (1)=35.6, $p<0.01$), university (χ^2 (6)=112.6, $p<0.01$) and academic level (χ^2 (1)=109.4, $p<0.01$).

Survey results

As indicated in table 4, the result for question 4 of 3.29 on a 5-point rating scale being just above the neutral value of 3 shows that students felt that they have limited understanding of SEM. Only 50.3% (n=887) and 67.2% (n=1186) of students associated SEM with treatment and prevention of chronic diseases, respectively. Conversely, about 90% of them considered medical

Table 2 Mandatory SEM teachings in the Swiss undergraduate medical curricula

University	Mandatory SEM course	Topic	Lecturer	Year of study	Duration	Related key SEM domains
Basel	No					
Bern	Yes	Sport and nutrition	SEM doctor	Second	1×45 min	Nutrition
Fribourg	Yes	Applied exercise physiology	SEM doctor	Second	4×45 min	Physical activity and human health
Geneva	No					
Lausanne	Yes	Overuse injuries	SEM doctor	Fourth	2×45 min	Injuries related to exercise
Neuchâtel	No					
ETH Zurich	Yes	Sport and heart	SEM doctor	Second	1×45 min	Medical issues related to exercise
University of Zurich	No					

SEM, Sports and exercise medicine.

Table 3 Optional SEM teachings in the Swiss undergraduate medical curricula

University	Optional SEM course	Topics	Lecturers	Opened to	Capacity	Frequency	Duration
Basel	No						
Bern	Yes	<ul style="list-style-type: none"> ▶ Exercise medicine ▶ Sport and altitude ▶ Concussion in sport ▶ Sports traumatology ▶ Exercise physiology ▶ Exercise testing and training recommendation ▶ Sports cardiology ▶ Exercise and diabetes ▶ Exercise and children ▶ Exercise and women ▶ Imagery in SEM ▶ Exercise dyspnoea ▶ Doping and anti-doping ▶ Athlete care ▶ Prehospital emergency in SEM 	<ul style="list-style-type: none"> ▶ SEM doctors (cardiologists, orthopaedic surgeon, general physician, anaesthesiologist) ▶ Cardiologists ▶ Neurologist ▶ Paediatrician ▶ Radiologist ▶ Endocrinologist ▶ Gynaecologist 	Sixth year students	Up to 20 students	Once a year	8×1 hour 30 min
Fribourg	No						
Geneva	Yes	<ul style="list-style-type: none"> ▶ Exercise biochemistry ▶ Exercise and ageing ▶ Sports cardiology ▶ Endurance testing and training ▶ Sports traumatology ▶ Injury prevention and sports physiotherapy ▶ Core stability ▶ Strength testing and training 	<ul style="list-style-type: none"> ▶ SEM doctor (physiatrist, cardiologist) ▶ Physiologist ▶ Sports physiotherapists ▶ Sports scientist 	Second to third year students	Up to 12 students	Once a year	10×3 hours
Lausanne	Yes	<ul style="list-style-type: none"> ▶ Exercise Medicine ▶ Exercise and diabetes ▶ Molecular adaptation to exercise ▶ Training principle ▶ Hypoxia training ▶ Exercise testing ▶ Pre-participation screening ▶ Sports medicine on the field ▶ Return to sport ▶ Exercise and children ▶ Exercise and women ▶ RED-S syndrome ▶ Exercise in extreme conditions ▶ Sports psychology ▶ Doping and anti-doping ▶ Taping ▶ Gait analysis 	<ul style="list-style-type: none"> ▶ SEM doctors (physiatrists, orthopaedic surgeons) ▶ Sports scientists ▶ Sports physiotherapists ▶ Endocrinologist ▶ Internist ▶ Doping specialist ▶ Sports psychologist 	Third to fourth year students	Up to 20 students	Once a year	12×3 hours
Neuchâtel	No						
ETH Zürich	No						
Zurich	Yes	<ul style="list-style-type: none"> ▶ Exercise physiology ▶ The job of a sports doctor ▶ Pre-participation screening ▶ Sports cardiology and pulmonology ▶ Altitude and scuba diving ▶ Exercise is Medicine ▶ Exercise and children ▶ Exercise and women ▶ Infection and sport ▶ Concussion in sport ▶ MSK examination ▶ Sports traumatology ▶ Imagery in SEM ▶ Doping and anti-doping ▶ Sport nutrition ▶ Sports psychology ▶ Prehospital emergency in SEM 	<ul style="list-style-type: none"> ▶ SEM doctors (cardiologist, orthopaedic surgeon, paediatrician) ▶ Traumatologist ▶ Radiologist ▶ Sports psychologist ▶ Epidemiologist 	Second to fourth year students	Up to 20 students	Twice a year	7×4 hours

MSK, musculoskeletal; RED-S, Relative energy deficiency in sport; SEM, Sports and exercise medicine.

care of athletes and sports-related health issues as part of SEM.

53.7% (n=948) of students expressed a desire for a mandatory SEM course, while 54.0% (n=953)

would like an optional course in SEM. Finally, the result for question 8 of 4.05 on a 5-point rating scale shows that students would be motivated to follow SEM courses.

Figure 2 Sample, population and response rate according to gender, University, academic level and study year. (A) response rate according to gender, (B) response rate according to university, (C) response rate according to academic level and (D) sample distribution according to study year. In panels (A–C), grey columns represent the number of students in the Swiss medical students' population. In panels (A–D), black columns represent the number of students in the sample. Data on the top of each column are expressed in %. Given that the exact number of medical students in each study year was not available for all universities, it was not possible to calculate a response rate according to the year of study. The University of Fribourg offers only a bachelor of medicine, while the University of Neuchâtel offers only the first year of study. BS=University of Basel, BE=University of Bern, FR=University of Fribourg, GE=University of Geneva, LS=University of Lausanne, NE=University of Neuchâtel, ZH=University of Zurich and n=nth year of study.

DISCUSSION

The lack of SEM teaching at medical schools is a global concern, as highlighted by several recent publications from around the world.^{5 6 22 23 25 26 38–40} This study aimed to determine whether Swiss medical students are expected to acquire SEM-related skills and knowledge, to determine if SEM is currently taught in Swiss medical schools and finally to assess knowledge and interest of Swiss medical students regarding SEM.

32 SEM-related learning objectives were identified in PROFILES. 20 of them are related to the key SEM domain of 'PA and human health'. It is noteworthy that PA, like other healthy habits (eg, tobacco abstinence), is not explicitly mentioned in PROFILES but included in terms like 'health and lifestyle'. SEM-related general objectives mainly highlight the need to teach medical students about healthy lifestyles, while entrustable professional activities emphasise musculoskeletal examination and

Table 4 Questions 4–8 targeting SEM knowledge and preferences of the students. Several answers were allowed for questions 5 and 6, while only one answer was allowed for questions 4, 7 and 8

Answer choices	Respondents numbers	%
Question 4: Do you know what sports and exercise medicine is?		
1-not at all	48	2.7
2-	244	13.8
3-	752	42.6
4-	596	33.8
5-absolutely	124	7.0
Mean value: 3.29		
Question 5: Between the following five propositions which describe(s) the job of a sports and exercise physician?		
Medical care of athletes (amateur and elite)	1628	92.3
Prevention of certain chronic diseases	1186	67.2
Management of sports-related health issues (illness and injury)	1612	91.4
Treatment of certain chronic diseases	887	50.3
Improvement of fitness and quality of life of both healthy and ill subjects	1397	79.2
Question 6: Would you like sports and exercise medicine to be part of your undergraduate curriculum?		
Yes, as a part of the mandatory curriculum	948	53.7
Yes, as an optional course	953	54.0
No, I would not	86	4.9
Question 7: If yes, how many hours a week would you like to have?		
1 hour a week for a whole semester	946	57.3
2 hours a week for a whole semester	581	35.2
4 hours a week for a whole semester	123	7.5
Question 8: How motivated would you then be to follow this teaching?		
1-not motivated at all	27	1.5
2-	83	4.7
3-	307	17.4
4-	709	40.3
5-very motivated	634	36.0
Mean value: 4.05		

SEM, Sports and exercise medicine.

reviewing lifestyle choices. According to the entrustable professional activity EPA 7.1, a physician must be able to 'incorporate the prescriptions of physiotherapy and physical rehabilitation, dietetic and lifestyle advice into the management plan' on the first day of his residency. These results clearly show that SEM could and should be part of the Swiss undergraduate medical curricula.

Four of eight Swiss medical schools display very limited mandatory SEM teachings. Furthermore, it appears that the key SEM domain 'PA and human health' is not taught in Switzerland (with the exception of the

University of Fribourg, offering lectures on ‘applied exercise physiology’). Four Swiss medical schools offer more comprehensive optional SEM courses, but the latter are only able to educate between 12 and 40 students a year. Despite the overwhelming evidence for its importance in primary and secondary prevention of most NCDs, the field of SEM has consequently been neglected in the education of future Swiss physicians.

While most students associate SEM with athletes’ care and sports-related health issues, only one in two realises that SEM physicians have the skills to treat patients with, or at risk of developing, NCDs. Given that SEM, and particularly exercise medicine, is currently insufficiently addressed at the Swiss medical schools, these results are not surprising. They do, however, bring cause for concern, as exercise medicine provides an evidence-based solution to one of the biggest current public health issues.⁴¹ Fortunately, about 95% of the participants are willing to be taught in SEM, which is consistent with the results of Osborne *et al.*²³

Limitations

First, the systematic review excluded SEM content not taught by SEM specialists. The authors acknowledge that some non-SEM specialists might be competent in particular SEM topics (eg, orthopaedic surgeons in managing musculoskeletal injuries). Moreover, every medical specialty should ideally emphasise the health benefits of being physically active. However, now that SEM is an internationally recognised medical specialty, the authors advocate that SEM specialists should teach key SEM domains in medical schools worldwide.²

Second, the study year booklets, used to evaluate the curriculum of the University of Zurich, describe the topics taught and the lecturers involved, but do not list every single teaching session. Even if the leading SEM physician of the University of Zurich confirmed that the results were accurate, it is possible that SEM-related teachings could have been missed.

Third, students were contacted via their local medical students’ societies, which forwarded an e-mail to all of them. The University of Bern posted the information on their medical students’ website instead because the local students’ society was not permitted to forward the intended email. Consequently, as students from this university were not individually alerted to the study, it is possible that some of them were not aware this survey was ongoing.

Moreover, fifth year students of the universities of Basel, Bern and Zurich as well as sixth year students of the universities of Geneva and Lausanne were on placement all year round. Therefore, an oral presentation of the survey was not possible in these study years.

Next, a selection bias is likely, as students less interested in SEM may not have participated to the same extent as SEM interested students. However, even if the latter are over-represented in the sample, results show that students have limited understanding of SEM. Therefore, SEM

understanding might be even lower in the Swiss medical student’s population.

Furthermore, the survey did not clarify whether or not participants followed SEM courses. Only a minority of students could possibly have participated in optional SEM courses. While more students took part in mandatory SEM courses, these are limited in time and content. Nevertheless, students that had followed SEM courses might be over-represented in the sample. Thus, the willingness to include SEM in the curricula might be lower in the population than in the sample; however, SEM understanding may be lower too.

To test sample representativeness, features having the potential to influence survey participation and outcomes should ideally have been compared between the Swiss medical students’ population and the sample. Such features could include individual weekly PA or injury history for example. Unfortunately, the only features available about the Swiss medical students’ population were gender, university and academic level distribution.⁴²

In question 6, it was possible to check both mandatory and optional courses. 223 students would like either mandatory or optional SEM courses offered separately or both together, in their curriculum. Consequently, it is not possible to determine whether a mandatory or an optional SEM course is preferred.

Both women and bachelor students were over-represented in the sample. It has been reported that gender influences online survey participation, with women participating more than men.⁴³ Bachelor students might be more open to new medical disciplines than master students (who often have a more elaborated idea which kind of specialities they want to pursue).

Even though unlikely, it was theoretically possible to participate several times in the survey, by using multiple IP addresses.

CONCLUSION

PROFILES contains several SEM-related learning objectives, mainly linked to PA, while SEM is scarcely taught at Swiss medical schools. Despite striking evidence that PA promotion and prescription should be included in undergraduate medical training, this is still not the case in Switzerland. Swiss medical students have limited understanding of SEM with only one in two aware that exercise medicine is a part of SEM. An overwhelming majority of respondents in our survey would like to have SEM included in their curricula. Based on these results, Swiss medical schools should take steps to implement SEM into their curricula.

Acknowledgements We thank the Swiss Society of Sports Medicine for their support, the board members of ‘Students & Junior Doctors SGSM/SSMS’ for their intellectual input, Dr Shona Kohlhardt (Sheffield University, United Kingdom) and Dr Flora Colledge (University of Basel, Switzerland) for linguistic support.

Contributors JC, AS-T and SK designed the screening and the systematic review, JC and TP screened PROFILES, JC and LN systematically reviewed the Swiss undergraduate curricula, JC, LN and SK designed the survey and JC conducted the survey. JC, TP, AS-T, DI and SK analysed and interpreted the data. JC, LN

and SK drafted the work. TP, DI and AS-T revised it critically from an intellectual point of view. All authors approved the final version of the work and agreed to be accountable for all aspects of the work in ensuring that questions related to the accuracy or integrity of any part of the work are appropriately investigated and resolved.

Funding The Swiss Society of Sports Medicine paid 394 Swiss Francs for the online Evalandgo account.

Competing interests JC is a board member of the Swiss Society of Sports Medicine and the president of its junior section called 'Students & Junior Doctors SGSM/SSMS', LN is a board member of 'Réseau Romand de la Médecine de l'Exercice et du Sport', TP is a board member of the UK 'Undergraduate Sports and Exercise Medicine Society' and SK is a past president of the Swiss Society of Sports Medicine.

Patient consent for publication Not required.

Ethics approval According to the Swiss Federal Act on research involving human beings (section one, article 2), an ethics approval was not necessary to conduct this anonymised survey of opinions containing no person identifiable data.

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement All data relevant to the study are included in the article or uploaded as supplementary information.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

REFERENCES

1. Jaques R, Loosemore M. Sports and exercise medicine in undergraduate training. *The Lancet* 2012;380:4–5.
2. Humphries D, Jaques R, Dijkstra HP. A Delphi developed syllabus for the medical specialty of sport and exercise medicine. *Br J Sports Med* 2018;52:490–2.
3. Ergen E. Roots of sports medicine. *Arch Med Deporte* 2014;31:263–7.
4. Ding D, Lawson KD, Kolbe-Alexander TL, et al. The economic burden of physical inactivity: a global analysis of major non-communicable diseases. *The Lancet* 2016;388:1311–24.
5. Weiler R, Chew S, Coombs N, et al. Physical activity education in the undergraduate curricula of all UK medical schools. are tomorrow's doctors equipped to follow clinical guidelines? *Br J Sports Med* 2012;46:1024–6.
6. Pandya T, Marino K. Embedding sports and exercise medicine into the medical curriculum; a call for inclusion. *BMC Med Educ* 2018;18:306.
7. Palazzo C, Ravaud J-F, Papelard A, et al. The burden of musculoskeletal conditions. *PLoS One* 2014;9:e90633.
8. Aboderin I, Nanyonjo A. Musculoskeletal health conditions among older populations in urban slums in sub-Saharan Africa. *Best Pract Res Clin Rheumatol* 2017;31:115–28.
9. Daneshmandi H, Choobineh AR, Ghaem H, et al. The effect of musculoskeletal problems on fatigue and productivity of office personnel: a cross-sectional study. *J Prev Med Hyg* 2017;58:E252–8.
10. Bueno AM, Pilgaard M, Hulme A, et al. Injury prevalence across sports: a descriptive analysis on a representative sample of the Danish population. *Inj Epidemiol* 2018;5.
11. Merkur S, Sassi F, McDaid D. *Promoting health, preventing disease: is there an economic case?* Copenhagen: WHO, 2013: 72.
12. World Health Organization. *Global action plan for the prevention and control of NCDs 2013–2020*. Geneva: WHO, 2013: 103.
13. Kohl HW, Craig CL, Lambert EV, et al. The pandemic of physical inactivity: global action for public health. *The Lancet* 2012;380:294–305.
14. Lee I-M, Shiroma EJ, Lobelo F, et al. Effect of physical inactivity on major non-communicable diseases worldwide: an analysis of burden of disease and life expectancy. *The Lancet* 2012;380:219–29.
15. Khan KM, Thompson AM, Blair SN, et al. Sport and exercise as contributors to the health of nations. *The Lancet* 2012;380:59–64.
16. World Health Organization. *Global recommendations on physical activity for health*. Geneva, 2010.
17. World Health Organization. *Global action plan on physical activity 2018–2030: more active people for a healthier world* (Licence: CC BY-NC-SA 3.0 IGO). Geneva: World Health Organization, 2018.
18. Jørgensen TK, Nordentoft M, Krogh J. How do general practitioners in Denmark promote physical activity? *Scand J Prim Health Care* 2012;30:141–6.
19. Attalin V, Romain A-J, Avignon A. Physical-Activity prescription for obesity management in primary care: attitudes and practices of GPs in a southern French City. *Diabetes Metab* 2012;38:243–9.
20. Buffart LM, van der Ploeg HP, Smith BJ, et al. General practitioners' perceptions and practices of physical activity counselling: changes over the past 10 years. *Br J Sports Med* 2009;43:1149–53.
21. Abramson S, Stein J, Schaefele M, et al. Personal exercise habits and counseling practices of primary care physicians: a national survey. *Clin J Sport Med* 2000;10:40–8.
22. Dunlop M, Murray AD. Major limitations in knowledge of physical activity guidelines among UK medical students revealed: implications for the undergraduate medical curriculum: Table 1. *Br J Sports Med* 2013;47:718–20.
23. Osborne SA, Adams JM, Fawcner S, et al. Tomorrow's doctors want more teaching and training on physical activity for health. *Br J Sports Med* 2017;51:624.2–5.
24. Gates AB. Training tomorrow's doctors, in exercise medicine, for tomorrow's patients. *Br J Sports Med* 2015;49:207–8.
25. Trilk JL, Phillips EM. Incorporating 'Exercise is Medicine' into the University of South Carolina School of Medicine Greenville and Greenville Health System. *Br J Sports Med* 2014;48:165–7.
26. Noormohammadpour P, Halabchi F, Mazaheri R, et al. Designing and implementing a curriculum for sports and exercise medicine elective course for undergraduate medical students of Tehran University of medical sciences. *Br J Sports Med* 2019;53:601–604.
27. Michaud PA, Jucker-Kupper P, and members of the profiles Working Group. *profiles; principal objectives and framework for integrated learning and education in Switzerland*. Bern: Joint Commission of the Swiss Medical Schools, 2017.
28. Faculty of Medicine, University of Basel. Stundenplan der medizinischen Fakultät der Universität Basel [timetable of the Faculty of Medicine at the University of Basel] [Internet]. Available: <http://factsience.uhbs.ch/Stundenplan-Basel/Stundenplan/?wicket:bookmarkablePage=wicket-0:stundenplan.ExtendedStundenplanPage> [Accessed 07 Jul 2019].
29. Faculty of Medicine, University of Bern. Stundenplan Medizinstudium [timetable study of medicine] [Internet]. Available: <https://studmed.unibe.ch/timedb/jahresplan.php?asj=1&sjb=2&sjc=3&sjd=4&sje=5&sjf=6&sfg=7&dd=1&mm=9&yyyy=2018&tdd=1&tmm=9&tyyyy=2019&eventnote=off>
30. Faculty of Medicine, University of Geneva. Coursmap: vues transverses du curriculum [Coursmap: transversal views of the curriculum] [Internet]. Available: <http://www.medecine.unige.ch/enseignement/etudes/curriculum/data/> [Accessed 07 Jul 2019].
31. Faculty of Biology and Medicine, University of Lausanne. Cahiers de module 2018–2019 [module booklets 2018–2019] [Internet]. Available: <https://www.unil.ch/ecoledemedecine/home/menueinst/bachelor-master/cahiers-de-module/2018-2019.html> [Accessed 07 Jul 2019].
32. Faculty of Sciences, University of Neuchâtel. Descriptifs des blocs 2018–2019 [module booklets 2018–2019] [Internet]. Available: <http://www.unine.ch/sciences/home/formations/bachelors/medecine.html> [Accessed 07 Jul 2019].
33. Swiss Federal Institute of Technology in Zurich. Course Catalogue [Internet]. Available: <http://www.vvz.ethz.ch/Vorlesungsverzeichnis/sucheLehrangebotPre.view?lang=en> [Accessed 07 Jul 2019].
34. Faculty of Sciences and Medicine, University of Fribourg. Horaires et rotations [timetable and rotations] [Internet]. Available: <https://moodle.unifr.ch/course/view.php?id=18663> [Accessed 07 Jul 2019].
35. Faculty of Medicine, University of Zurich. Infobroschüren, Medizinstudium an der Universität Zürich [Information booklets, study of medicine at the University of Zurich] [Internet]. Available: <https://www.med.uzh.ch/de/Medizinstudium/infobroschueren.html> [Accessed 07 Jul 2019].
36. The Swiss Confederation. Federal Act on Research Involving Human Beings [Internet]. 2011. Available: <https://www.admin.ch/opc/en/classified-compilation/20061313/index.html> [Accessed 27 Jun 2019].
37. PennState Eberly College of Science. Probability Theory and Mathematical Statistics [Internet]. Available: <https://newonlinecourses.science.psu.edu/stat414/node/264/> [Accessed 18 Feb 2019].
38. Strong A, Stoutenberg M, Hobson-Powell A, et al. An evaluation of physical activity training in Australian medical school curricula. *J Sci Med Sport* 2017;20:534–8.

39. Kordi R, Moghadam N, Rostami M. Sports and exercise medicine in undergraduate medical curricula in developing countries: a long path ahead. *Med Educ Online* 2011;16. doi:10.3402/meo.v16i0.5962. [Epub ahead of print: 15 Feb 2011].
40. Cardinal BJ, Park EA, Kim M, *et al.* If exercise is medicine, where is exercise in medicine? review of U.S. medical education curricula for physical activity-related content. *J Phys Act Health* 2015;12:1336–43.
41. Weiler R, Stamatakis E. Physical activity in the UK: a unique crossroad? *Br J Sports Med* 2010;44:912–4.
42. Swiss Federal Statistical Office. Students and degrees of higher education institutions [Internet]. Available: <https://www.bfs.admin.ch/bfs/en/home/statistics/education-science/pupils-students/tertiary-higher-institutions/universities.assetdetail.2301085.html> [Accessed 03 Mar 2017].
43. Smith G. *Does gender influence online survey participation?: a record-linkage analysis of university faculty online survey response behavior (NO ED 501717)*, 2008 ERIC Document Reproduction Service.