

EORTC – quality of life (QL)

<b>diagnose</b>	<b>Random</b>	<b>Test</b>	<b>Test completion (n)</b>	<b>Mean</b>	<b>Standard deviation</b>	<b>Minimum</b>	<b>Maximum</b>
BREAST <i>n=33</i>	HIGH HOSP <i>n=11</i>	Baseline	11	56.82	20.69	25.00	83.33
		6 weeks	9	63.00	17.24	41.67	91.67
		12 weeks	9	55.56	14.43	33.33	83.33
	LOW PED <i>n=11</i>	Baseline	11	52.27	24.46	8.33	83.33
		6 weeks	9	60.19	18.99	33.33	83.33
		12 weeks	10	48.33	16.57	25.00	83.33
	Control <i>n=11</i>	Baseline	11	54.55	18.77	25.00	91.67
		6 weeks	9	59.26	20.60	33.33	100.00
		12 weeks	8	52.08	17.68	25.00	83.33
COLON <i>n=12</i>	HIGH HOSP <i>n=4</i>	Baseline	4	56.25	22.95	33.33	83.33
		6 weeks	4	62.50	34.36	16.67	100.00
		12 weeks	3	88.89	9.62	83.33	100.00
	LOW PED <i>n=3</i>	Baseline	3	33.33	14.43	25.00	50.00
		6 weeks	3	47.22	26.79	16.67	66.67
		12 weeks	3	66.67	11.79	58.33	75.00
	Control <i>n=5</i>	Baseline	5	55.00	9.50	41.67	66.67
		6 weeks	2	45.83	17.68	33.33	58.33
		12 weeks	1	41.67	.	41.67	41.67

EORTC – physical functioning (PF)

<b>diagnose</b>	<b>Random</b>	<b>Test</b>	<b>Test completion (n)</b>	<b>Mean</b>	<b>Standard deviation</b>	<b>Minimum</b>	<b>Maximum</b>
BREAST <i>n=33</i>	HIGH HOSP <i>n=11</i>	Baseline	11	84.85	16.62	40.00	100.00
		6 weeks	9	91.11	6.67	80.00	100.00
		12 weeks	9	85.19	12.81	60.00	100.00
	LOW PED <i>n=11</i>	Baseline	11	87.88	7.19	80.00	100.00
		6 weeks	9	90.37	7.536	80.00	100.00
		12 weeks	10	84.00	13.77	53.33	93.33
	Control <i>n=11</i>	Baseline	11	86.67	10.75	66.67	100.00
		6 weeks	9	86.67	6.67	80.00	100.00
		12 weeks	8	81.67	12.72	60.00	100.00
COLON <i>n=12</i>	HIGH HOSP <i>n=4</i>	Baseline	4	85.00	14.78	66.67	100.00
		6 weeks	4	75.00	28.48	33.33	93.33
		12 weeks	3	93.33	11.55	80.00	100.00
	LOW PED <i>n=3</i>	Baseline	3	66.67	17.64	53.33	86.67
		6 weeks	3	77.78	13.88	66.67	93.33
		12 weeks	3	84.44	13.88	73.33	100.00
	Control <i>n=5</i>	Baseline	5	88.00	8.69	80.00	100.00
		6 weeks	2	80.00	0	80.00	80.00
		12 weeks	1	86.67	.	86.67	86.67

EORTC – role functioning (RF)

<b>diagnose</b>	<b>Random</b>	<b>Test</b>	<b>Test completion (n)</b>	<b>Mean</b>	<b>Standard deviation</b>	<b>Minimum</b>	<b>Maximum</b>
BREAST <i>n=33</i>	HIGH HOSP <i>n=11</i>	Baseline	11	77.27	21.44	50.00	100.00
		6 weeks	9	75.93	16.90	50.00	100.00
		12 weeks	9	74.07	26.50	33.33	100.00
	LOW PED <i>n=11</i>	Baseline	11	56.06	35.18	0	100.00
		6 weeks	9	72.22	33.33	0	100.00
		12 weeks	10	63.33	20.49	33.33	100.00
	Control <i>n=11</i>	Baseline	11	66.67	25.82	16.67	100.00
		6 weeks	9	61.11	23.57	16.67	100.00
		12 weeks	8	62.50	30.54	0	100.00
COLON <i>n=12</i>	HIGH HOSP <i>n=4</i>	Baseline	4	66.67	23.57	33.33	83.33
		6 weeks	4	66.67	45.13	0	100.00
		12 weeks	3	100.00	0	100.00	100.00
	LOW PED <i>n=3</i>	Baseline	3	33.33	16.67	16.67	50.00
		6 weeks	3	72.22	25.46	50.00	100.00
		12 weeks	3	72.22	25.46	50.00	100.00
	Control <i>n=5</i>	Baseline	5	76.67	27.89	33.33	100.00
		6 weeks	2	50.00	23.57	33.33	66.67
		12 weeks	1	33.33	.	33.33	33.33

EORTC – emotional functioning (EF)

<b>diagnose</b>	<b>Random</b>	<b>Test</b>	<b>Test completion (n)</b>	<b>Mean</b>	<b>Standard deviation</b>	<b>Minimum</b>	<b>Maximum</b>
BREAST <i>n=33</i>	HIGH HOSP <i>n=11</i>	Baseline	11	76.52	23.22	33.33	100.00
		6 weeks	9	87.04	16.72	50.00	100.00
		12 weeks	9	85.19	13.68	66.67	100.00
	LOW PED <i>n=11</i>	Baseline	11	76.52	21.67	25.00	100.00
		6 weeks	9	82.41	19.30	50.00	100.00
		12 weeks	10	81.67	21.80	25.00	100.00
	Control <i>n=11</i>	Baseline	11	84.09	13.67	66.67	100.00
		6 weeks	9	74.07	20.17	33.33	100.00
		12 weeks	8	72.92	15.91	50.00	100.00
COLON <i>n=12</i>	HIGH HOSP <i>n=4</i>	Baseline	4	54.17	30.81	8.33	75.00
		6 weeks	4	66.67	24.53	33.33	91.67
		12 weeks	3	86.11	24.06	58.33	100.00
	LOW PED <i>n=3</i>	Baseline	3	77.78	17.35	58.33	91.67
		6 weeks	3	77.78	4.81	75.00	83.33
		12 weeks	3	97.22	4.81	91.67	100.00
	Control <i>n=5</i>	Baseline	5	66.67	14.43	41.67	75.00
		6 weeks	2	54.17	5.89	50.00	58.33
		12 weeks	1	58.33	.	58.33	58.33

EORTC – cognitive functioning (CF)

<b>diagnose</b>	<b>Random</b>	<b>Test</b>	<b>Test completion (n)</b>	<b>Mean</b>	<b>Standard deviation</b>	<b>Minimum</b>	<b>Maximum</b>
BREAST <i>n=33</i>	HIGH HOSP <i>n=11</i>	Baseline	11	81.82	17.41	50.00	100.00
		6 weeks	9	79.63	13.89	50.00	100.00
		12 weeks	9	79.63	20.03	50.00	100.00
	LOW PED <i>n=11</i>	Baseline	11	68.18	20.35	33.33	100.00
		6 weeks	9	70.37	27.36	16.67	100.00
		12 weeks	10	85.00	14.59	50.00	100.00
	Control <i>n=11</i>	Baseline	11	83.33	16.67	50.00	100.00
		6 weeks	9	77.78	8.33	66.67	83.33
		12 weeks	8	60.42	19.80	33.33	83.33
COLON <i>n=12</i>	HIGH HOSP <i>n=4</i>	Baseline	4	75.00	28.87	33.33	100.00
		6 weeks	4	75.00	21.52	50.00	100.00
		12 weeks	3	83.33	16.67	66.67	100.00
	LOW PED <i>n=3</i>	Baseline	3	83.33	0	83.33	83.33
		6 weeks	3	83.33	0	83.33	83.33
		12 weeks	3	77.78	19.25	66.67	100.00
	Control <i>n=5</i>	Baseline	5	66.67	40.82	0	100.00
		6 weeks	2	50.00	0	50.00	50.00
		12 weeks	1	16.67	.	16.67	16.67

EORTC – social functioning (SF)

<b>diagnose</b>	<b>Random</b>	<b>Test</b>	<b>Test completion (n)</b>	<b>Mean</b>	<b>Standard deviation</b>	<b>Minimum</b>	<b>Maximum</b>
BREAST <i>n=33</i>	HIGH HOSP <i>n=11</i>	Baseline	11	86.36	14.56	66.67	100.00
		6 weeks	9	87.04	16.20	66.67	100.00
		12 weeks	9	85.19	15.47	66.67	100.00
	LOW PED <i>n=11</i>	Baseline	11	68.18	24.10	33.33	100.00
		6 weeks	9	81.48	21.15	33.33	100.00
		12 weeks	10	71.67	13.72	50.00	83.33
	Control <i>n=11</i>	Baseline	11	80.30	14.56	66.67	100.00
		6 weeks	9	74.07	14.70	66.67	100.00
		12 weeks	8	77.08	15.27	66.67	100.00
COLON <i>n=12</i>	HIGH HOSP <i>n=4</i>	Baseline	4	79.17	15.96	66.67	100.00
		6 weeks	4	75.00	31.91	33.33	100.00
		12 weeks	3	100.00	0	100.00	100.00
	LOW PED <i>n=3</i>	Baseline	3	72.22	9.62	66.67	83.33
		6 weeks	3	72.22	34.69	33.33	100.00
		12 weeks	3	77.78	19.25	66.67	100.00
	Control <i>n=5</i>	Baseline	5	73.33	25.28	33.33	100.00
		6 weeks	2	66.67	47.14	33.33	100.00
		12 weeks	1	83.33	.	83.33	83.33

EORTC – Fatigue (FA)

<b>diagnose</b>	<b>Random</b>	<b>Test</b>	<b>Test completion (n)</b>	<b>Mean</b>	<b>Standard deviation</b>	<b>Minimum</b>	<b>Maximum</b>
BREAST <i>n=33</i>	HIGH HOSP <i>n=11</i>	Baseline	11	41.41	29.85	0	100.00
		6 weeks	9	39.51	28.93	0	88.89
		12 weeks	9	50.62	31.97	0	88.89
	LOW PED <i>n=11</i>	Baseline	11	53.56	32.13	0	100.00
		6 weeks	9	40.74	26.64	0	77.78
		12 weeks	10	57.78	18.74	22.22	88.89
	Control <i>n=11</i>	Baseline	11	43.43	16.07	11.11	66.67
		6 weeks	9	50.62	28.39	11.11	100.00
		12 weeks	8	51.39	21.36	22.22	77.78
COLON <i>n=12</i>	HIGH HOSP <i>n=4</i>	Baseline	4	27.78	19.25	0	44.44
		6 weeks	4	41.67	31.91	0	66.67
		12 weeks	3	22.22	11.11	11.11	33.33
	LOW PED <i>n=3</i>	Baseline	3	55.56	11.11	44.44	66.67
		6 weeks	3	51.85	16.97	33.33	66.67
		12 weeks	3	29.63	27.96	0	55.56
	Control <i>n=5</i>	Baseline	5	37.78	9.94	33.33	55.56
		6 weeks	2	66.67	31.43	44.44	88.89
		12 weeks	1	77.78	.	77.78	77.78

EORTC – nausea and vomiting (NV)

<b>diagnose</b>	<b>Random</b>	<b>Test</b>	<b>Test completion (n)</b>	<b>Mean</b>	<b>Standard deviation</b>	<b>Minimum</b>	<b>Maximum</b>
BREAST <i>n=33</i>	HIGH HOSP <i>n=11</i>	Baseline	11	12.12	16.82	0	50.00
		6 weeks	9	7.41	12.11	0	33.33
		12 weeks	9	11.11	23.57	0	66.67
	LOW PED <i>n=11</i>	Baseline	11	27.27	25.03	0	66.67
		6 weeks	9	16.67	32.27	0	100.00
		12 weeks	10	13.33	13.15	0	33.33
	Control <i>n=11</i>	Baseline	11	12.12	13.10	0	33.33
		6 weeks	9	18.52	13.03	0	33.33
		12 weeks	8	16.67	17.82	0	50.00
COLON <i>n=12</i>	HIGH HOSP <i>n=4</i>	Baseline	4	25.00	16.67	16.67	50.00
		6 weeks	4	25.00	16.67	16.67	50.00
		12 weeks	3	16.67	0	16.67	16.667
	LOW PED <i>n=3</i>	Baseline	3	22.22	25.46	0	50.00
		6 weeks	3	33.33	0	33.33	33.33
		12 weeks	3	5.56	9.62	0	16.67
	Control <i>n=5</i>	Baseline	5	16.67	11.79	0	33.33
		6 weeks	2	41.67	11.79	33.33	50.00
		12 weeks	1	0	.	0	0



EORTC – pain (PA)

<b>diagnose</b>	<b>Random</b>	<b>Test</b>	<b>Test completion (n)</b>	<b>Mean</b>	<b>Standard deviation</b>	<b>Minimum</b>	<b>Maximum</b>
BREAST <i>n=33</i>	HIGH HOSP <i>n=11</i>	Baseline	11	10.61	11.24	0	33.33
		6 weeks	9	20.37	18.22	0	50.00
		12 weeks	9	31.48	21.15	0	66.67
	LOW PED <i>n=11</i>	Baseline	11	24.24	26.21	0	83.33
		6 weeks	9	20.37	18.22	0	50.00
		12 weeks	10	35.00	14.59	16.67	66.67
	Control <i>n=11</i>	Baseline	11	34.85	22.92	0	83.33
		6 weeks	9	25.93	22.22	0	66.67
		12 weeks	8	33.33	25.20	0	83.33
COLON <i>n=12</i>	HIGH HOSP <i>n=4</i>	Baseline	4	16.67	13.61	0	33.33
		6 weeks	4	33.33	45.13	0	100.00
		12 weeks	3	0	0	0	0
	LOW PED <i>n=3</i>	Baseline	3	27.78	9.62	16.67	33.33
		6 weeks	3	22.22	19.25	0	33.33
		12 weeks	3	22.22	19.24	0	33.33
	Control <i>n=5</i>	Baseline	5	6.67	9.13	0	16.67
		6 weeks	2	50.00	70.71	0	100.00
		12 weeks	1	50.00	.	50.00	50.00

EORTC – dyspnoea (DY)

<b>diagnose</b>	<b>Random</b>	<b>Test</b>	<b>Test completion (n)</b>	<b>Mean</b>	<b>Standard deviation</b>	<b>Minimum</b>	<b>Maximum</b>
BREAST <i>n=33</i>	HIGH HOSP <i>n=11</i>	Baseline	11	6.06	13.48	0	33.33
		6 weeks	9	11.11	16.67	0	33.33
		12 weeks	9	25.93	32.39	0	100.00
	LOW PED <i>n=11</i>	Baseline	11	12.12	22.47	0	66.67
		6 weeks	9	18.52	24.22	0	66.67
		12 weeks	10	20.00	28.11	0	66.67
	Control <i>n=11</i>	Baseline	11	6.06	13.48	0	33.33
		6 weeks	9	18.52	24.22	0	66.67
		12 weeks	8	33.33	35.63	0	100.00
COLON <i>n=12</i>	HIGH HOSP <i>n=4</i>	Baseline	4	8.33	16.67	0	33.33
		6 weeks	4	8.33	16.67	0	33.33
		12 weeks	3	11.11	19.25	0	33.33
	LOW PED <i>n=3</i>	Baseline	3	11.11	19.25	0	33.33
		6 weeks	3	11.11	19.25	0	33.33
		12 weeks	3	22.22	38.49	0	66.67
	Control <i>n=5</i>	Baseline	5	13.33	18.26	0	33.33
		6 weeks	2	50.00	70.71	0	100.00
		12 weeks	1	0	.	0	0

EORTC – Insomnia (SL)

<b>diagnose</b>	<b>Random</b>	<b>Test</b>	<b>Test completion (n)</b>	<b>Mean</b>	<b>Standard deviation</b>	<b>Minimum</b>	<b>Maximum</b>
BREAST <i>n=33</i>	HIGH HOSP <i>n=11</i>	Baseline	11	21.21	30.81	0	100.00
		6 weeks	9	18.52	24.22	0	66.67
		12 weeks	9	40.74	36.43	0	100.00
	LOW PED <i>n=11</i>	Baseline	11	39.39	44.27	0	100.00
		6 weeks	9	29.63	35.14	0	100.00
		12 weeks	10	30.00	18.92	0	66.67
	Control <i>n=11</i>	Baseline	11	30.30	27.71	0	66.67
		6 weeks	9	37.04	42.31	0	100.00
		12 weeks	8	37.50	37.53	0	100.00
COLON <i>n=12</i>	HIGH HOSP <i>n=4</i>	Baseline	4	41.67	41.94	0	100.00
		6 weeks	4	58.33	16.67	33.33	66.67
		12 weeks	3	44.44	19.25	33.33	66.67
	LOW PED <i>n=3</i>	Baseline	3	44.44	38.49	0	66.67
		6 weeks	3	55.56	50.92	0	100.00
		12 weeks	3	33.33	33.33	0	66.67
	Control <i>n=5</i>	Baseline	5	33.33	0	33.33	33.33
		6 weeks	2	50.00	23.57	33.33	66.67
		12 weeks	1	33.33	.	33.33	33.33

EORTC – Appetite loss (AP)

<b>diagnose</b>	<b>Random</b>	<b>Test</b>	<b>Test completion (n)</b>	<b>Mean</b>	<b>Standard deviation</b>	<b>Minimum</b>	<b>Maximum</b>
BREAST <i>n=33</i>	HIGH HOSP <i>n=11</i>	Baseline	11	18.18	27.34	0	66.67
		6 weeks	9	11.11	16.67	0	33.33
		12 weeks	9	3.70	11.11	0	33.33
	LOW PED <i>n=11</i>	Baseline	11	33.33	42.16	0	100.00
		6 weeks	9	14.81	33.79	0	100.00
		12 weeks	10	6.67	14.05	0	33.33
	Control <i>n=11</i>	Baseline	11	18.18	27.34	0	66.67
		6 weeks	9	18.52	24.22	0	66.67
		12 weeks	8	20.83	24.80	0	66.67
COLON <i>n=12</i>	HIGH HOSP <i>n=4</i>	Baseline	4	41.67	31.91	0	66.67
		6 weeks	4	16.67	33.33	0	66.67
		12 weeks	3	11.11	19.25	0	33.33
	LOW PED <i>n=3</i>	Baseline	3	55.56	50.92	0	100.00
		6 weeks	3	33.33	33.33	0	66.67
		12 weeks	3	11.11	19.25	0	33.33
	Control <i>n=5</i>	Baseline	5	13.33	18.26	0	33.33
		6 weeks	2	33.33	47.14	0	66.67
		12 weeks	1	0	.	0	0

EORTC – Constipation (CO)

<b>diagnose</b>	<b>Random</b>	<b>Test</b>	<b>Test completion (n)</b>	<b>Mean</b>	<b>Standard deviation</b>	<b>Minimum</b>	<b>Maximum</b>
BREAST <i>n=33</i>	HIGH HOSP <i>n=11</i>	Baseline	11	24.24	21.56	0	66.67
		6 weeks	9	7.41	14.70	0	33.33
		12 weeks	9	11.11	23.57	0	66.67
	LOW PED <i>n=11</i>	Baseline	11	30.30	34.82	0	100.00
		6 weeks	9	18.519	33.79	0	100.00
		12 weeks	10	16.67	17.57	0	33.33
	Control <i>n=11</i>	Baseline	11	21.21	30.81	0	100.00
		6 weeks	9	14.81	24.22	0	66.67
		12 weeks	8	8.33	15.43	0	33.33
COLON <i>n=12</i>	HIGH HOSP <i>n=4</i>	Baseline	4	33.33	47.14	0	100.00
		6 weeks	4	25.00	16.67	0	33.33
		12 weeks	3	22.22	19.25	0	33.33
	LOW PED <i>n=3</i>	Baseline	3	33.33	33.33	0	66.67
		6 weeks	3	22.22	19.25	0	33.33
		12 weeks	2	16.67	23.57	0	33.33
	Control <i>n=5</i>	Baseline	5	26.67	27.89	0	66.67
		6 weeks	2	33.33	47.14	0	66.67
		12 weeks	1	0	.	0	0

EORTC – Diarrhoea (DI)

<b>diagnose</b>	<b>Random</b>	<b>Test</b>	<b>Test completion (n)</b>	<b>Mean</b>	<b>Standard deviation</b>	<b>Minimum</b>	<b>Maximum</b>
BREAST <i>n=33</i>	HIGH HOSP <i>n=11</i>	Baseline	11	3.03	10.05	0	33.33
		6 weeks	9	22.22	28.87	0	66.67
		12 weeks	9	7.41	14.70	0	33.33
	LOW PED <i>n=11</i>	Baseline	11	3.03	10.05	0	33.33
		6 weeks	9	7.41	14.70	0	33.33
		12 weeks	10	23.33	31.62	0	66.67
	Control <i>n=11</i>	Baseline	11	9.09	15.57	0	33.33
		6 weeks	9	3.70	11.11	0	33.33
		12 weeks	8	8.33	15.43	0	33.33
COLON <i>n=12</i>	HIGH HOSP <i>n=4</i>	Baseline	4	8.33	16.67	0	33.33
		6 weeks	4	16.67	19.25	0	33.33
		12 weeks	3	11.11	19.25	0	33.33
	LOW PED <i>n=3</i>	Baseline	3	22.22	19.25	0	33.33
		6 weeks	3	11.11	19.25	0	33.33
		12 weeks	3	22.22	19.25	0	33.33
	Control <i>n=5</i>	Baseline	5	13.33	18.26	0	33.33
		6 weeks	2	33.33	47.14	0	66.67
		12 weeks	1	0	.	0	0

EORTC – financial difficulties (FI)

<b>diagnose</b>	<b>Random</b>	<b>Test</b>	<b>Test completion (n)</b>	<b>Mean</b>	<b>Standard deviation</b>	<b>Minimum</b>	<b>Maximum</b>
BREAST <i>n=33</i>	HIGH HOSP <i>n=11</i>	Baseline	11	0	0	0	0
		6 weeks	9	0	0	0	0
		12 weeks	9	0	0	0	0
	LOW PED <i>n=11</i>	Baseline	11	15.15	22.92	0	66.67
		6 weeks	9	14.81	29.40	0	66.67
		12 weeks	10	16.67	28.33	0	66.67
	Control <i>n=11</i>	Baseline	11	30.30	34.82	0	100.00
		6 weeks	9	25.93	40.06	0	100.00
		12 weeks	8	25.00	38.83	0	100.00
COLON <i>n=12</i>	HIGH HOSP <i>n=4</i>	Baseline	4	41.67	50.00	0	100.00
		6 weeks	4	25.00	31.91	0	66.67
		12 weeks	3	11.11	19.25	0	33.33
	LOW PED <i>n=3</i>	Baseline	3	0	0	0	0
		6 weeks	3	11.11	19.25	0	33.33
		12 weeks	3	11.11	19.25	0	33.33
	Control <i>n=5</i>	Baseline	5	0	0	0	0
		6 weeks	2	0	0	0	0
		12 weeks	1	0	.	0	0